1874

4 of 1874
861—2

(Incomplete)

861-2

JCC 1871

Arrack distillery at Shimoga

Ludeier
15

Jail

1874.

No 221

From The Commissioner Vice

To Sagar Dn.

Secretary to Chief Commissioner,
General Department.

Dated 16th

Despatched 18th December

Received 24th

ENCLOSURES NO. 1

General No. 498
Sec. No. 225. } 1874-75

With reference to the Chief Commissioner's Proceedings No 5063/1287 dated 12th October 1874, has the honor to submit for the Chief Commissioner's information copy of Executive Engineer's letter No 4794/1376 dated 4th Instant reporting upon the present condition of the distillery enclosure at Shimoga, and begs to recommend the construction of a new enclosure at once.

2. The Executive Engineer has been asked to frame

It is very essential that a good large distillery should be erected as an additional accommodation for a much larger number of stills than are now erected. The distillery at Sialkoppa has been ordered to be abolished, and the one at Sagar ordered to be retained as a temporary measure pending further orders.

Owing to the large number of stills at present in use, some inconvenience will be caused during the erection, and it is desirable that some application from outsiders who wish to open Bungalow Distillery on the plan that the enclosure is made and complete before [illegible]

The estimate however has not as yet been received.

RD 22/12/74

(2)

frame a detailed Estimate for building a new enclosure, and the same will be forwarded as soon as it is received

[illegible]
Commissioner
Nagar Dn

Replying that it is evident that a new distillery building is required & request that the estimate for a new building which should be obtained may be submitted

[illegible]

Es Duffin.
21-12-74

Rec 4794
1376

Executive Engineer's Office
Nagar Division

To

The Commissioner
Nagar Division

Sir,

Adverting to your Demi Official of the 12th Ultimo, regarding the distillery at this Station, I have the honor to report as follows and to express my regret at not having been able to do so earlier owing to press of work in connection with the Budget.

2. The whole Building is "Kuteha" from bottom to top and consists of such a conglomeration of Patch work with mud and sun-dried brick, sticks and Tiles, and Tatties and filve that it is difficult to say what repairs are required and I should at once propose the construction of a new Building.

3. For the present, if this Build is to be kept on, I should recommend

the entire wall along the River face being rebuilt with Burnt Brick in mud.

4. The Buildings along the Eastern side of the Square are in a most delapidated condition - The Roofs of all more or less being in a state of trembling in and requiring thorough overhauling - The wall on this side is mostly of mud and with a little repair will perhaps answer but there is a small piece adjoining Gopal Pranjia's Still that looks very shaky and which should be rebuilt with properly worked mud to be in keeping with the rest -

5. The Roof of the Building on the South side has sagged in places at the ridge and wants looking to -

I have &c
Signed / A. Stoddard
Executive Engr Nagar Du

"True Copy"

Shimoga
4th Nov. 1874

Commissioner

1/D. 18

Govt. 1874 &c. 7045 150

MYSORE COMMISSION

S.R. 4-1874 2

The Comr. Nagar

Camp Ameena
8th December 1874
Rec. 31st do. do.

No. 7045
£ 150.

His docket No. 498/225
dated 16th Dec. /74.

In reply observes that it is evident that a new distillery building is required at Shimoga and requests that the estimate for a new building which should be options may be submitted.

By order

Secretary

Draft for approval.

DPP

26/4/94